Building Site Development

and soil name	Pct.   of  map  unit	İ	d	Shallow excavati	ons	Lawns and landsca     	aping
	     			Rating class and   limiting features			
4: Knoke	 	Depth to   saturated zone   Frost action	1.00    1.00	Depth to   saturated zone   	1.00	    Very limited   Depth to   saturated zone   	11.00
6: Okoboji	 	Depth to   saturated zone   Frost action	1.00    1.00	Depth to saturated zone	1.00	  Very limited   Depth to   saturated zone   	1.00
27B: Terril	  100   	Low strength 	11.00	    Somewhat limited   Depth to   saturated zone 			       
27C: Terril	 	Low strength 	11.00	  Somewhat limited   Depth to   saturated zone			         
28B: Dickman	     95 	    Not limited 		    Very limited   cutbanks cave		    Not limited 	 
28C2: Dickman	   95 	    Not limited 		    Very limited   cutbanks cave		    Not limited 	
34: Estherville	1 100	    Not limited 				    Somewhat limited   Droughty	1 1 1 1 0 . 02
34B: Estherville	     90 	    Not limited 		    Very limited   cutbanks cave		    Somewhat limited   Droughty	1 1 1 1 0 . 02
34C2: Estherville	     90 	    Not limited 	     	    Very limited   cutbanks cave 	1   0.90	    Somewhat limited   Droughty 	      0.02

# Greene County, Iowa

Map symbol and soil name	Pct.   of  map  unit	streets	d	Shallow excavati   	ons	Lawns and landsca 	aping
				Rating class and   limiting features			
34D2: Estherville	     90   		0.84	    Very limited   cutbanks cave   Slope 	0.90	· · · · · · · · · · · · · · · · · · ·	      0.84  0.02
48: Knoke		Depth to Saturated zone Frost action Low strength	11.00	Depth to   saturated zone 	11.00	  Very limited   Depth to   saturated zone   	11.00
55: Nicollet	   	Frost action 	11.00	saturated zone	0.73		 
62C2: Storden			1 1 1 0.50	    Not limited 		    Not limited 	
62D2: Storden		Slope		Slope		  Somewhat limited   Slope 	      0.63
62E2: Storden		Slope		Slope		  Very limited   Slope 	11.00
62F: Storden		Slope		Slope		  Very limited   Slope 	11.00
62G: Storden	  -   85   	Slope		  Very limited   Slope 	1.00	  Very limited   Slope 	11.00

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati   	ons	Lawns and landscaping     	
	     			Rating class and   limiting features			
90: Okoboji		Depth to   saturated zone   Frost action   Low strength	1.00	saturated zone	11.00	  Very limited   Depth to   saturated zone 	11.00
95: Harps		Depth to   saturated zone   Frost action   Low strength	11.00	Depth to   saturated zone   		  Very limited   Depth to   saturated zone   	11.00
107: Webster	95   95       	Depth to Saturated zone Frost action Low strength	11.00	Depth to   saturated zone   	11.00	  Very limited   Depth to   saturated zone   	1 1.00
108: Wadena	     90	    Not limited		    Not limited		    Not limited	
108B: Wadena	     90	    Not limited		    Not limited		    Not limited	
108C2: Wadena	     95	    Not limited		    Not limited		    Not limited	
135: Coland	 	Depth to saturated zone Frost action Flooding Low strength	11.00	 	11.00	  Very limited   Depth to   saturated zone   Flooding 	1 1.00 1 10.60
138B: Clarion	     85 	•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	    Not limited 	     	    Not limited 	 

# Greene County, Iowa

Map symbol and soil name	Pct.   of  map  unit	streets	d	Shallow excavati   	ons	Lawns and landscaping     	
				Rating class and   limiting features			
138B2: Clarion		    Somewhat limited   Frost action				    Not limited 	 
138C: Clarion		    Somewhat limited   Frost action 			     	    Not limited   	     
138C2: Clarion		  Somewhat limited   Frost action				  Not limited 	 
138D2: Clarion		  Somewhat limited   Slope   Frost action	0.63	Slope		  Somewhat limited   Slope 	1   1   1   1   1   1   1   1   1   1
168G: Hayden		Slope   Low strength   Shrink-swell	  1.00  1.00  0.50  0.50	Slope   		  Very limited   Slope   	11.00
202: Cylinder			11.00	  Very limited   Depth to   saturated zone   cutbanks cave	0.95	I	         
203: Cylinder		Frost action     Shrink-swell	11.00	Depth to   saturated zone   cutbanks cave	0.95	İ	           
236B: Lester	  -  90       	Low strength   Shrink-swell	  1.00  0.50  0.50		 	  Not limited       	         

Building Site Development

and soil name	Pct.   of  map  unit	streets	d	   Shallow excavati     	ons.	   Lawns and landsca     	aping
	     			Rating class and   limiting features			
236B2: Lester		Low strength	11.00			    Not limited     	
236C: Lester	 	Low strength   Shrink-swell	  1.00  0.50  0.50	İ		  Not limited   	       
236C2: Lester	 	Low strength   Shrink-swell	11.00	İ		  Not limited   	         
236D: Lester		Low strength Slope Shrink-swell		 	0.63	  Somewhat limited   Slope   	    0.63   
236D2: Lester	İ	Low strength Slope Shrink-swell				  Somewhat limited   Slope   	    0.63     
236E: Lester	 	Slope   Low strength   Shrink-swell		Slope   		  Very limited   Slope     	11.00
236F: Lester	 	Slope   Low strength   Shrink-swell		Slope   		  Very limited   Slope   	11.00

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	İ	d	Shallow excavati	ons	Lawns and landscaping    -	
	     			Rating class and   limiting features		-	
256D2:	1	 		] [		 	1
Lester	İ	Low strength   Slope   Shrink-swell		i I		  Somewhat limited   Slope     	0.63
Storden		Slope		Slope		  Somewhat limited   Slope 	10.63
256E2: Lester	     	Slope   Low strength   Shrink-swell		I I		  Very limited   Slope     	1 1.00
Storden	İ	Slope		  Very limited   Slope 		  Very limited   Slope 	1 1.00
256F:				 		 	
Lester		Slope   Low strength   Shrink-swell		-   		Very limited   Slope      -	  1.00   
Storden		Slope		-		  Very limited   Slope 	1 1.00
256G: Lester		Slope   Low strength   Shrink-swell		İ	1.00	  Very limited   Slope     	11.00
Storden		Slope		Slope		  Very limited   Slope 	1 1.00

Building Site Development

and soil name	Pct.  Local roads and     of   streets		Shallow excavati	Shallow excavations   		aping	
	       			Rating class and   limiting features			
258: Biscay	   95         	Depth to Saturated zone Frost action Low strength	11.00	Depth to   saturated zone   cutbanks cave		•	1 1.00
259: Biscay	 	Depth to   saturated zone   Frost action   Low strength	1.00 	Depth to   saturated zone   cutbanks cave 	1.00	  Very limited   Depth to   saturated zone   	11.00
307: Dundas		Depth to   saturated zone   Frost action   Low strength	11.00	saturated zone		  Very limited   Depth to   saturated zone   	11.00
308: Wadena	     90	    Not limited	     	    Not limited		    Not limited	
308B: Wadena	90	    Not limited	     	  Not limited	     	    Not limited	
325: Le Sueur		Frost action     Low strength		Depth to   saturated zone	    0.95   	  Not limited       	 
383: Marna	   90           	saturated zone   Frost action   Low strength	11.00	saturated zone Too clayey	11.00		      1.00     

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	streets	d	Shallow excavati   	ons	Lawns and landsca   	aping
	     			Rating class and   limiting features		=	
385:	·		'				- <u>'</u>
Guckeen	95	· =	11.00	Somewhat limited   Depth to   saturated zone	0.47	Not limited	
	<u> </u>		11.00	Too clayey	0.03	 	
386:		 		 		 	
Cordova	90   	Very limited   Depth to   saturated zone		Very limited   Depth to   saturated zone		Very limited   Depth to   saturated zone	11.00
	 	Low strength	1.00  1.00  0.50	İ	 	 	 
458:		 		 		 	
Millington	95   	Very limited   Depth to   saturated zone		Very limited   Depth to   saturated zone		Very limited   Flooding	11.00
	į Į	Frost action		Flooding 	0.80	Depth to   saturated zone	11.00
		,	11.00	•		 	
485:							
Spillville	95   	Very limited   Flooding 		Somewhat limited   Depth to   saturated zone		Somewhat limited   Flooding 	  0.60
	 	Shrink-swell	1.00  0.50  0.50	Flooding	0.60		
485B:		 		 		 	
Spillville	95   	Very limited   Low strength 	  1.00	Somewhat limited   Depth to   saturated zone	  0.61 	Not limited   	   
	 	Shrink-swell   Frost action	0.50	•	 	 	l l
506:		 		 		 	 
Wacousta	95   	Very limited   Depth to   saturated zone	11.00	Very limited   Depth to   saturated zone	11.00	Very limited   Depth to   saturated zone	11.00
		Frost action   Low strength	11.00	 			
		Shrink-swell	1.00 	 		 	

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati   	ons	Lawns and landsca       	aping
				Rating class and   limiting features			
507: Canisteo	 	Depth to   saturated zone   Frost action	1.00    1.00  1.00	Depth to   saturated zone   	11.00		1 1.00
508: Calcousta	 	Depth to saturated zone Frost action	1.00    1.00  1.00	Depth to   saturated zone   	11.00	  Very limited   Depth to   saturated zone   	1 1.00
566: Moingona	   95   				0.16		       
566C: Moingona	   90   				0.16		       
585B: Coland	 	Depth to saturated zone Frost action Flooding Low strength	1.00 	Depth to   saturated zone   Flooding 	1.00 	  Very limited   Depth to   saturated zone   Flooding 	    1.00    0.60
Spillville		Low strength     Shrink-swell	11.00	saturated zone	0.61		         
638C2: Clarion	     60 		1 1 1 0.50	    Not limited 		    Not limited 	 
Storden	   25 		    0.50	  Not limited 	 	  Not limited 	

Building Site Development

Map symbol and soil name		· · · · · · · · · · · · · · · · · · ·		Shallow excavati    -  -	ons	Lawns and landsca     	nping
	     			Rating class and   limiting features			
538D2: Clarion	İ	Slope		Slope		    Somewhat limited   Slope	      0.63
Storden	İ	Slope		Slope		  Somewhat limited   Slope 	  0.63
38E2: Clarion		Slope	1.00  0.50	Slope		  Very limited   Slope 	11.00
Storden		Slope	  1.00  0.50	•		  Very limited   Slope 	11.00
39C2: Salida	   45   	    Not limited   		    Very limited   cutbanks cave 		  Very limited   Droughty   Gravel content	    1.00  0.12
Storden		  Somewhat limited   Frost action				  Not limited 	
39D2: Salida			0.63	  Very limited   cutbanks cave   Slope	0.90  0.63		  1.00  0.63  0.12
Storden		Slope	1 10.63 10.50	Slope	  0.63	  Somewhat limited   Slope 	1   0.63
555: Crippin		    Very limited   Frost action				    Not limited 	
		Low strength	11.00	saturated zone		 	
558: Mayer	95	  Very limited   Depth to   saturated zone   Frost action	1.00 	  Very limited   Depth to   saturated zone   cutbanks cave		  Very limited   Depth to   saturated zone	1 1.00

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	streets	d	Shallow excavati	ons	Lawns and landsca     	aping
	       			Rating class and   limiting features			
659: Mayer	     95     	Depth to saturated zone	11.00	Depth to		•	1 1.00
733: Calco	   	Depth to   saturated zone   Frost action   Flooding   Low strength	1.00 	Depth to   saturated zone   Flooding	1.00 	  Very limited   Depth to   saturated zone   Flooding 	  1.00    0.60
878: Ocheyedan			0.50			    Not limited 	
878B: Ocheyedan			1 1 1 0.50	    Not limited 		    Not limited 	
878B2: Ocheyedan			0.50			    Not limited 	
878C2: Ocheyedan	  -   100 		0.50			  Not limited 	
879: Fostoria	  -   95     	Frost action		saturated zone	    0.95 	  Not limited     	 
1048: Knoke	    100         	saturated zone Frost action Low strength	11.00	saturated zone	11.00	  Very limited   Depth to   saturated zone   	      1.00     

# Greene County, Iowa

and soil name	Pct.   of  map  unit	of   streets   map		Shallow excavati   	ons	   Lawns and landsca     	aping
	     	   Rating class and   limiting features 		   Rating class and   limiting features 		Rating class and   limiting features 	
1135: Coland	   90   91         	Depth to   saturated zone   Frost action     Flooding   Low strength		 	       1.00       0.80 	İ	    1.00    1.00
1308: Wadena Variant	     95	 		    Very limited	0.90	      Not limited 	 
1585: Coland	   70   1         	Depth to   saturated zone   Frost action     Flooding		 	   1.00   1.00   0.80   1	İ	  1.00    1.00   
1585B: Coland	   70   1           	Depth to   saturated zone   Frost action     Flooding   Low strength		saturated zone   Flooding   	   1.00   1.00   0.80 	İ	    1.00    1.00
2315: Fluvaquents	   45           	Depth to   saturated zone   Flooding     Frost action		Depth to   saturated zone	   1.00   1.00   0.80 	İ	  1.00    1.00 

Greene County, Iowa

and soil name	  Pct.   of  map  unit	İ		   Shallow excavations     		   Lawns and landscaping     	
	     			   Rating class and   limiting features 			
Coland	 	Depth to   saturated zone   Frost action     Flooding   Low strength	1.00    1.00	Depth to Saturated zone Flooding	11.00		  1.00    1.00   
5010: Pits	    100 	    Not rated   	       	    Not rated   	     	    Not rated   	       
5020: Pits	      100   	    Not rated   	           	      Not rated   	           	    Not rated   	
5040: Orthents	    100 	      Not rated 	       	      Not rated 		      Not rated 	 
5041: Udorthents	    100 	    Not rated 	       	    Not rated 	     	    Not rated 	       
W: Water	  100     	  Not rated     	           	    Not rated     	         	    Not rated     	
	i	, 	i				.i